



Gardens & Drives 2015



For your perfect outdoor space
let's talk landscaping





Aura Silver Fleck

Style & exclusivity is simple to achieve

*...with the latest ranges of Brett
paving, aggregates and accessories.*

Welcome to the new Brett 'Gardens and Drives' brochure, which is packed with inspirational ideas and practical information.

We hope this will help you create the beautiful outdoor space you want, as we have done for thousands of other customers over many years.

If you need anything that is not covered in this brochure, please visit: www.brettpaving.co.uk



BrettPaving



@brettpaving



Brett Landscaping Ltd.



Brett Landscaping

www.brettpaving.co.uk Tel: 0845 6080 577



New additions for this year

Lugano Flag: textured flag paving – page 48



Brazilian Slate: high quality slate flags – page 28



Varano Flag: distinctive, premium flags – page 46



Rochester Brick: warmth, tradition and character – page 54



Beta TRIO: 3 sizes in a pack, less waste – page 83



Delta: increased plan size blocks – page 80



Lugano Block Paving: textured block paving – page 68



Before you start

- 8 **Choose your look**
Think about colours, styles and textures
- 9 **Set your budget**
Understanding costs
- 9 **Installation**
DIY or paving contractor?
- 10 **Introducing Brett Approved Installers (BAIs)**
Quality workmanship guaranteed
- 12 **BAI Awards**
Examples of excellent projects... and these aren't even the winners!
- 14 **Installer of the Year 2014**
The best of the best this year.



Natural stone range 16-43

- 18 **Elite Stone**
Textured, Polished and Tumbled Sandstones, Granite
- 26 **Style Stone**
Limestone, Sandstone, Slate, Quartz
- 34 **Creative Stone**
Sandstone
- 38 **Smart Stone**
Limestone, Sandstone
- 42 **BAI Patios of the Year**
Large and Small Patio of the Year winners 2014



Garden paving range 44-65

- 46 **Varano**
Premium flag paving in single size packs
- 48 **Lugano**
Premium flag paving in single size packs
- 50 **Westminster**
Patio Packs, Stepping Stones, Millstones, Walling, Circle and Corner Kit
- 52 **Bronte**
Single Size Paving Packs, Patio Pack, Stepping Stones, Circles and Corner Kit
- 54 **Rochester Brick**
Single Size Paving Packs
- 56 **Canterbury**
Patio Pack and Single Size Paving Packs
- 58 **Chaucer**
Single Size Paving Packs
- 64 **Economy Paving**
Quorndon, Stamford and Broadway Economy



Drives range 66-89

- 68 **Lugano**
Paving
- 70 **Aura**
Paving, Circles and Kerbs
- 72 **Alpha Antique**
Paving, Circles and Kerbs
- 74 **Classico**
Paving and Circles
- 76 **Regatta**
Paving and Circles
- 78 **Beta**
Paving and Circles
- 80 **Delta**
Paving
- 81 **Omega**
Paving
- 82 **TRIO products**
Alpha, Beta and Regatta TRIO
- 84 **BAI Driveways of the Year**
Large and Small Driveways of the Year winners 2014
- 86 **Permeable paving**
Alpha Flow and Omega Flow



Finishing touches

- 60 **Garden Walling and Edging**
A beautiful selection of Garden Walling to complement our paving ranges. Choose from an array of different styles and colours to finish your garden around the edges
- 62 **Gravel, Chippings, Pebbles and Cobbles**
Add a splash of colour and texture to your garden with these beautiful natural aggregates
- 88 **Kerbs**
Choose from a range of complementary Kerbs and Edgings to help finish your garden or drive around the edges



Product information

- 94 **Natural Stone**
- 97 **Garden Paving and Edgings**
- 100 **Driveways**
- 104 **Kerbs**
- 104 **Accessories**
- 105 **Decorative Aggregates**

DIY guides

- 108 **How to lay a patio**
- 110 **How to lay block paving**

Sustainable and responsible

- 112 **Sustainable products**
- 113 **Responsible sourcing**
- 114 **Brett and the community**
- 115 **Additional information**



contemporary // natural // flowing



traditional // mature // character



modern // urban // linear

Choose your look...

This brochure is designed to help you get the most from your garden and to create a space that looks and functions in exactly the way you want it to.

You may already be thinking about colours, styles and textures, or you may have a completely open mind. Either way, there's plenty of information and advice available from this brochure, garden shows, lifestyle magazines or just browsing the web for ideas.

Being advised and informed is just as crucial as inspiration. Costs, timing, use of materials and other practical considerations will have a big part to play in your decisions - but you don't have to make them alone!

There's a great deal of practical advice in this brochure, but there's even more in the heads of your local builders merchant and installers and there's no better expert than a Brett Approved Installer (BAI).

You'll find out more about these people as you browse through this brochure - or by visiting www.brettpaving.co.uk

Before you decide

Remember that product in photographs* can look quite different to the actual product in your garden or drive.

Please always ask your merchant for a sample or ask your contractor to show you a nearby site that uses the same material, before you go ahead and purchase product.

* We show products in a variety of weather conditions (some wet), and some are sealed. Where this is the case, it is indicated in the caption.


Set your budget...

Did you know that installation costs typically account for 80% of the landscaping budget?

It therefore pays to stick to what you really want, as using a premium product will only marginally increase your total project outlay.

So, getting the perfect look and feel won't cost you much more – but will keep a smile on your face for longer!

While you're looking at your costs, don't forget that by enhancing your outdoor areas you will also be adding additional living space as well as extra long-term value to your home.



Installation...

DIY or paving contractor?

If you know what you're doing, have the time and are keen to go it alone, there's a wealth of installation information available on pages 106-111. There's still more at www.brettpaving.co.uk

If you do go down the DIY route don't forget to allow for extras like fencing, plants, furniture or any other unexpected costs within your project.

The other approach is to find an installer you are comfortable with and who understands what you want. Then agree a fixed budget with them for the work you want doing.

This simple step lets your installer know exactly what they are doing and ensures there are no unpleasant surprises for either of you – allowing you to relax and enjoy watching your project taking shape.



Brett Approved Installers

Many Brett Approved Installers provide design help as part of their service and are able to advise on every aspect of your project.

See overleaf for more information.

Introducing Brett Approved Installers

The Brett Approved Installer scheme is a network of installers whose workmanship is rigorously assessed and monitored by Brett both in terms of the absolute quality of their workmanship, peerless customer service and financial probity.



BrettApproved
PAVING EXPERTS YOU CAN TRUST

The Brett Approved Installer team aim is to offer you the 'best of the best' paving contractors in the market who can install your Brett Driveway or Patio to the highest standards, and ultimately significantly reduce the risk of you choosing a rogue paving contractor.

All Brett Approved Installers have access to the latest technical and support services offered by Brett and so can easily help with product choice, design, logistics, British Standard queries and all other aspects of your project.

Top tip: Whatever you decide to do, start looking early. Brett Approved Installers are often booked for months in advance.



How do I find my Brett Approved Installer?

Brett Approved Installers advertise in many different ways and areas including stands at County and National Shows as well as in the local press and national directories. You can always find your closest Brett Approved Installer or check that your contractor really is a Brett Approved Installer at www.brettpaving.co.uk



Benefits of selecting a Brett Approved Installer (BAI)

The Brett Approved Installers scheme is designed to provide you with that extra peace of mind at all stages of your landscaping contract.

Firstly, you can make an instant website check to ensure your Approved Installer is who he says he is using www.brettpaving.co.uk

Thereafter, your Approved Installer can provide: The 'Setting Paving Installation Standards' document.

It's a great guide to explaining how to measure the quality of a paving contractor when he comes to quote for your project.



5-Year Installation Guarantee from your BAI

If you choose to work with a BAI you will automatically get a '5-year Installation Guarantee' direct from the Approved Installer on completion of the project.

Your Approved Installer will also register your installation and product details directly onto our website along with your email address.

10-Year Product Guarantee from Brett


Once your BAI has submitted this information, we will automatically send you a personalised email with log-in details to access our website.

Here you verify the Brett products installed, privately rate the service you've received from your Brett Approved Installer and download your '10-Year Product Guarantee' direct from Brett Landscaping for the products installed on your site.

You will also be able to download an 'Essential Maintenance Guide' that gives you helpful tips on how to best look after your new installation to keep it looking great for many years to come.

Don't worry if you don't have an email address; the BAI Team will contact you directly to manually verify the details and send you the respective paperwork.

With all of these great benefits available, if you're not going to undertake your project yourself, why wouldn't you choose a Brett Approved Installer?



Brett Approved Installers Awards

The Brett Approved Installer Awards are an annual event, primarily aimed to maintain standards, drive improvement and reward the quality of workmanship in the scheme members' installations. Something that everyone benefits from!

As normal, 2014 saw an incredibly high standard of entries completed for satisfied customers, all for our panel of industry independent judges to pick from – no easy task.



BAI projects 2014

Here's a small selection of the quality of projects that **didn't** quite win a top spot.

We've included these to demonstrate the depth of quality we have within our Approved Installer Scheme.

Some of the winners' projects can be found throughout the rest of this year's brochure.



Alpha Antique, Autumn Gold by Marpave (sealed)



Regatta TRIO Silver Haze by Marshall K Paving



Regatta Autumn Gold by Marshall K Paving



Elite Tumbled Sandstone Forest Glen with Elite Tumbled Sandstone Setts, by Jake Brown



Creative Sandstone Fossil Mint by Carew Paving (shown wet)

National BAI installer of the year *Paramount Paving*



Elite Polished Sandstone Fossil Mint with Tumbled Sandstone setts in Forest Glen

Alpha Antique Silver Haze

Aura Bronze Fleck

For the second year running, Paramount Paving scooped this coveted award for their ongoing professionalism and excellence in design and installation of great-looking paving.

This year they also took home the 'Project Portfolio' award crowning a great year for the business.

Here are some of the projects which helped the independent judges to select Paramount Paving as the winner of these two awards.



Alpha Antique Silver Haze



Creative Sandstone Fossil Mint



Aura Silver Fleck



Creative Sandstone Forest Glen





Creative Sandstone Fossil Mint

Natural Stone

Specially selected natural stone to enrich your outdoor space with warmth, class and quality. From cost effective, simple but beautiful ranges to the pristine purity and elegance of polished products.

Natural stone is a handcrafted product sourced from around the world. Every piece is unique with natural variations in colour and texture.

Elite range

Beautiful Sandstone, Quartzite and Granite paving

- 18 Textured
- 20 Polished
- 22 Granite
- 24 Tumbled

Creative range

Calibrated Sandstone in four colours

- 34 Modak
- 34 Forest Glen
- 36 Fossil Mint
- 36 Sunrise

Style range

Classic Limestone, Sandstone and Quartzite paving

- 26 Limestone
- 28 Slate
- 30 Sandstone
- 32 Quartzite

Smart range

Durable Limestones and Sandstones

- 38 Limestone
- 40 Sandstone

Elite Textured

*Gently textured surfaces
for amazing aesthetics*

Additional processing to the stone helps create gently textured surfaces for amazing aesthetics in this premium range of natural stone products.

The Elite Textured Stone selection from Brett Landscaping incorporates Sandstone and Quartzite within the range to give you a unique palette to personalise your outdoor space.

- ✓ Mixed sized paving patio packs
- ✓ Circles with corner kits (excluding Midnight Storm)
- See page 94 for all product information



Rustic Pearl



Midnight Storm



Moorland York



Elite Textured Moorland York



Elite Textured Rustic Pearl





Elite Polished

Sleek finish adding class and perfection

Elite Polished Sandstone makes a majestic entrance to any garden with the smooth, sleek edge finish adding a touch of class and perfection to this range of premium sandstone paving.

- ✓ Mixed sized paving patio packs
 - ✓ Planks
- See page 94 for all product information



Fossil Mint



Modak



Mountain Mist



Elite Polished Sandstone Mountain Mist (shown wet)

Elite Granite

Lightly textured surfaces in cool, contemporary colours

With its neat edges and consistent grey tones, this premium Granite paving option delivers a refined look with the flamed finish giving a subtly rippled surface.

- ✓ Mixed sized paving patio packs
 - ✓ Circles with corner kits
 - ✓ Planks
 - ✓ Single size cropped setts (Silver Grey only)
- See page 94 for all product information



Graphite Grey



Silver Grey







Elite Tumbled Sandstone

Create an instant aged appearance

The Elite Tumbled Sandstone paving range delivers an instant aged feel to add warmth to your garden. Create more interest to your design with matching Circles and Setts to provide the perfect entertaining space.

- ✓ Mixed sized paving patio packs
 - ✓ Circles with corners
 - ✓ Mixed sized sett packs
- See page 94 for all product information



Forest Glen



Modak



Twilight



Elite Tumbled Sandstone Forest Glen (shown wet)

Style Limestone

Suits both traditional and contemporary settings

Limestone's elegance and warmth makes it suitable for a wide range of domestic applications.

Our Style Limestone is all cut to standard thicknesses for ease of installation whilst retaining its natural strength and durability.

- ✓ Mixed sized paving patio packs
- ✓ Circles with corners
- See page 94 for all product information



Honey



Fern



Style Limestone Fern



Style Limestone Honey (shown wet)



Style Slate

*Creates characterful
riven surfaces*

High quality Brazilian Slate is carefully hand selected from the quarry for their natural beauty. Style Slate creates characterful riven surfaces and is available in Olive Black or Woodland Grey and offers a modern, contemporary look with its naturally occurring tones.

- ✓ Mixed sized paving patio packs
- ✓ Circles with corners
- See page 94 for all product information



Olive Black



Woodland Grey



Style Slate Woodland Grey (shown wet)

Style Sandstone

Every piece of hand crafted Indian Sandstone is unique

The Style Sandstone range is made up of Raveena and Mountain Mist – two colours which are less frequently seen in this country, giving exclusivity to your patio.

The palette of colour tones in this range will ensure your project's individuality. Our Style Sandstone paving is accurately sawn to an even thickness to enable quick and easy installation.

- ✓ Mixed sized paving patio packs
- ✓ Circles with corners
- See page 94 for all product information



Raveena




Mountain Mist



Style Sandstone Mountain Mist





Style Quartzite

High quartz content creates a unique look

The high quartz content of this natural stone creates a unique appearance whilst the hardness of the stone ensures that its good looks will last for many years to come.

Midnight Storm comes with a smooth polished surface for sharp modern designs, whilst Burnt Glow has a gently riven surface for a more traditional finish.

- ✓ Mixed sized paving patio packs
- ✓ Planks
- See page 94 for all product information



Midnight Storm (polished)



Burnt Glow (riven)



Style Quartzite Midnight Storm

Creative Sandstone

Every piece of hand crafted Indian Sandstone is unique

Our calibrated Creative Sandstone paving is accurately sawn to an even thickness to enable quick and easy installation.

The use of Modak brings a rich palette of oranges, reds and purples whilst the contrasting Forest Glen introduces more earthy tones of greens, browns and beige into your paving.

All of these natural colours vary from piece to piece and pack to pack giving your patio a unique look and feel. Find out more about natural stone colours on page 93.

- ✓ Single sized packs
 - ✓ Two mixed sized paving patio packs
 - ✓ Circles with corners
- See page 95 for all product information



Modak



Forest Glen



Creative Sandstone Forest Glen

Winner: Small Patio of the Year 2014 – page 42



Creative Sandstone

Every piece of hand crafted Indian Sandstone is unique

When you choose Sunrise for your paving it opens up a range of warm colours with reds, oranges and yellows all present to some extent whilst Fossil Mint introduces cooler tones of greens, yellows and beige.

These colours are all unique to each individual stone and the variations in colour are intended to bring life and vibrancy to your garden.

Find out more about natural stone colours on page 93.

- ✓ Single sized packs
 - ✓ Two mixed sized paving patio packs
 - ✓ Circles with corners
- See page 95 for all product information



Fossil Mint



Sunrise



Creative Sandstone Sunrise

Winner: Large Patio of the Year 2014 – page 43





Smart Limestone

Limestone for elegance and warmth

Limestone's elegance and warmth suits both traditional and contemporary settings.

Our range of Smart Limestone is calibrated to standard thicknesses for ease of installation whilst retaining its natural strength and durability.

- ✓ Mixed sized paving patio packs
- See page 95 for all product information



Ocean Spray



Mystic Sky



Smart Limestone Ocean Spray

Smart Sandstone

For traditional, natural patios

Create the traditional patio look with this range of hand split sandstone paving. An ideal way to make the most of your garden without breaking the bank.


- ✓ Mixed sized paving patio packs
- See page 95 for all product information



Forest Blend



Autumn Dawn



Smart Sandstone Forest Blend



Smart Sandstone Autumn Dawn (shown wet)

Large and small patio of the year

All three major Patio of the Year awards in 2014, Large Patio, Small Patio and Contractors' Choice, went to projects using our Creative Sandstone products. The independent judges agreeing with the BAI's assessment that sculpture and sensitivity of levels were key to the success of these fantastic transformations.

As normal, 2014 saw an incredibly high standard of entries completed for satisfied customers, all for our panel of industry independent judges to pick from – no easy task.



Winner 2014: Small patio of the year Leicester Drives & Gardens

Leicester Drives & Gardens was the deserved winner of the 'Small Patio of the Year' award with this incredible patio created using Modak from our Creative Stone portfolio.

The judges were particularly impressed with the quality of the groundworks creating the multi-curved retaining walls which add extra visual interest to a small patio and demonstrate that small can be impressive.

This project also scooped the much sought-after 'Contractors' Choice' award at the 2014 ceremony.



Creative Sandstone Modak by Leicester Drives & Gardens



Creative Sandstone Modak by Leicester Drives & Gardens

Winner 2014: Large patio of the year Marpave

Marpave were named as winner of the prestigious 'Large Patio of the Year' award with this fascinating multi-level patio created using Fossil Mint from our Creative Stone portfolio.

The judges were particularly impressed with the quality of the installation which worked to link together a large space with numerous levels. The finished design serves to create great aesthetics with an abundance of usable space.



Creative Sandstone Fossil Mint with Plum Slate aggregate by Marpave



Creative Sandstone Fossil Mint with Plum Slate aggregate by Marpave



Creative Sandstone Fossil Mint with Plum Slate aggregate by Marpave





Canterbury Old Cotswold

Garden paving

Brett presents distinct, creative possibilities for patios, terraces and pathways around your home. Whatever your style, inspiration starts here.

Flag paving

- 46 Varano ***(new)***
- 48 Lugano ***(new)***
- 50 Westminster
- 52 Bronte
- 54 Rochester Brick ***(new)***
- 56 Canterbury
- 58 Chaucer
- 60 Garden walling and edging
- 62 Decorative aggregates

Economy paving

- 64 Quorndon
- 65 Stamford
- 65 Broadway Economy

Varano


Modular flag paving with a premium textured or ground finish

Brett Varano is a distinctive range of paving offering the homeowner a fresh and contemporary aesthetic.

The unique premium textured or ground finishes offer you the opportunity to create exciting textural combinations which can give your garden crisp, geometric lines.

This can be further enhanced by using our striped option which combines ground and textured finish on the same flag to help create a unique, premium look for your patio.

- ✓ Single size packs
 - ✓ Ground or textured finish
 - ✓ Bespoke striped option available (made to order)
- See page 98 for all product information



Carbone textured/ground



Pallido textured/ground





new

Varano Pallido Ground, Textured and Striped (shown wet)



new

Lugano

*Textured granite-aggregate
flag paving with a high
recycled content*

Brett Lugano is a distinctive range of paving available in both flag and block options creating extra design flexibility for the home designer.

The durable, textured surface is slip resistant, looks great and offers cool, contemporary granite-look paving.

It's sustainable too, with in excess of 45% non-primary materials used in its manufacture, making it kind to the environment as well as beautiful for your home.

- ✓ Single size packs
- ✓ Complementary block paving, see page 68
- See page 98 for all product information



Silver Grey



Graphite Grey



Lugano Graphite Grey



Lugano Graphite Grey

Westminster

The warm, authentic look of original London flagstones

Westminster provides a classic and authentic textured look. This superior paving is made using moulds taken from original London flagstones.

The Westminster garden collection features Paving, Circle, Walling and Copings to provide maximum design flexibility.

Its beauty is enhanced when combined with other paving such as Rochester Brick.

- ✓ Three mixed sized paving patio packs
 - ✓ Circle with optional corner kit
 - ✓ Walling and copings
 - ✓ Stepping stones
 - ✓ Mill stones
- See page 96 for all product information



Millbank



Old Gold







Bronte

A riven surface with natural colour tones

A riven surface with natural colour tones allows the Bronte range to blend well with most surroundings adding character and texture to your outdoor spaces.

- ✓ Single size paving
 - ✓ Mixed size patio pack
 - ✓ Full and Half Circles
 - ✓ Circle Corner Kit
 - ✓ Garden Walling and Coping
 - ✓ Stepping Stones
- See page 97 for all product information



Acorn Brown



Honey Brown



Weathered Apricot



Weathered Buff



Weathered Stone



Bronte Weathered Stone

Rochester Brick

Reproducing the warmth and character of original brick paving

Add instant character to your garden. Enduringly stylish, the irregular texture, uneven block surface and Burnt Red colour faithfully reproduces the appearance of original brick.

An easy way to cover large areas without the problem of individual brick positioning.

- ✓ Basket Weave
 - ✓ Soldier Course Edging
 - ✓ Rochester Brick makes an ideal partner for use with other flag paving
- See page 98 for all product information



Basket Weave Burnt Red



Soldier Course Edging Burnt Red

Please note that Rochester Brick requires pointing between the bricks on each flag for best effect.



Rochester Brick Burnt Red Soldier Course Edging with Bronte Weathered Apricot



Rochester Brick burnt red (in shadow)

new

Rochester Brick Burnt Red (sealed)





Canterbury

*Warm and natural,
riven flag paving*

With its freshly quarried riven surface and dressed edges, this collection of sympathetic regional stone colours gives Canterbury a timeless appearance wherever you are.

- ✓ Mixed size patio pack
 - ✓ Single size paving
- See page 98 for all product information



Old Cotswold



Slate Grey



Mellow Amber



Canterbury Mellow Amber



Canterbury Slate Grey

Chaucer

A delicate texture that works well with narrow joints to give crisp, geometric lines

The finely textured surface of Chaucer paving provides an attractive and practical patio.

For a fresh contemporary feel, lay Chaucer narrow jointed to achieve a more defined finish.

- ✓ Single size paving
- See page 98 for all product information




Buff



Charcoal



Natural



Chaucer Natural with Omega Charcoal Edging



Garden Walling & Edging

Garden Walling and Copings

Quick and easy to build with a wide range of sizes to instantly provide a traditional stone wall effect. Garden Walling and Copings complement both our Canterbury and Bronte ranges.

→ See page 97 for product information



Acorn Brown



Honey Brown



Weathered Stone



Weathered Apricot



Weathered Buff



Garden Walling and Coping Weathered Apricot



Garden Walling Weathered Stone

What edgings can do for you...

- ✓ Create boundaries between areas
- ✓ Prevent different materials from mixing
- ✓ Provide a clean edge
- ✓ Protect plants
- ✓ Add individuality to your design



Rope Top edging in Charcoal

Garden edging

Edging plays an essential part in your garden, performing a practical function of separating areas whilst neatly finishing flower beds.

Choose from the following Edgings:

- ✓ Round Top
 - ✓ Scallop
 - ✓ Rope Top
 - ✓ Flat Top
- See page 99 for product information



Scallop edging Buff



Round Top edging Buff



Rope Top edging Brindle

Decorative aggregates

A range of attractive aggregates that provide easy options for driveways, patios, paths or even border decoration.

Key considerations

- Where are your aggregates going to be used – driveway, garden, external settings or for internal displays?
- Is the area to be trafficked or not?
- What style of landscaping is required – subtle or striking?
- What grade of aggregate is the most suitable for your application?
- What size of area is to be covered?
- Is a weed suppressant membrane required beneath the aggregates if externally used?





Natural Slate

Garden and Driveway Aggregates

All decorative aggregates are available in maxi bags and bulk bags. For a handy aggregate usage calculator tool, visit www.brettpaving.co.uk to see how many bags you require.

Product	Grade	Coverage kg/m ²
Natural Slate	40	62.5
Plum Slate	40	62.5
Green Slate	40	62.5
Red Granite	14	75
Green Granite	14	75
Pearl Spar	11	70
Cotswold Stone	20	75
Canterbury Spar	11	60
Havana Gold	20	70
Beach Pebbles	40	55
Honey Gold	10	70
Spanish Marble Mix	20	75



Pictures show dry top left and wet bottom right

 Suitable for use in garden ponds
(wash thoroughly before use)

 Suitable for driveways

The most widely used aggregates are illustrated here. Please enquire if you require products not shown.



Quorndon Buff

Economy paving

This range of Brett garden paving products has been specifically developed to suit projects where budgets are a concern. They all offer great durability but at a lower price point than our other flag paving products but still come with all the security of buying Brett products for your project.

If aesthetics are key to your requirements, we would advise you to consider the extensive range of Brett products outside the Economy paving range because these products are more prone to variations in colour and face finish.

Quorndon

This hardwearing paving flag with its gently riven surface and colour variations is ideal for utility paving areas. Available in four sizes, Quorndon is also a firm favourite with housebuilders and developers.

→ See page 99 for all product information



Buff



Natural

For areas requiring higher visual impact, consider Westminster, Bronte or Canterbury



Stamford Buff

Stamford

Stamford is an economy wet-cast concrete paving flag available in two sizes which has a detailed riven surface ideal for creating patios, paths and utility areas around the home.

Stamford has been designed to offer exceptional value and comes in two colours which can then be mixed to create edges or delineation within paved areas.

→ See page 99 for all product information



Buff



Natural



Broadway Economy Buff Riven

Broadway Economy

Available in both smooth and riven options and two sizes, this functional, economical paving suits utility areas perfectly. Colours and face finishes may vary.

→ See page 99 for all product information



Buff Riven



Natural Riven



Red Riven



Buff Smooth



Natural Smooth



Red Smooth

For areas requiring higher visual impact, consider Westminster, Bronte or Canterbury





Aura Silver Fleck (shown wet)

Drives

A well-designed, attractive driveway provides easy, convenient and secure parking, as well as adding value to your home.

Block paving

- 68 Lugano *(new)*
- 70 Aura
- 72 Alpha Antique
- 74 Classico
- 76 Regatta
- 78 Beta
- 80 Delta *(new)*
- 81 Omega

TRIO products

- 82 Alpha, Beta *(new)* and Regatta

Permeable Paving

- 86 Permeable Paving

Kerbs

- 88 Kerbs



Lugano

Granite effect block paving range for a stylish approach to your home

Brett Lugano is a distinctive range of block paving designed to give your driveway the look and feel of textured granite paving.

The durable, textured surface of Lugano provides a high level of slip resistance, making it ideal for many applications.

It can also be integrated with our new range of Lugano garden paving, shown on page 48, to create a sophisticated and integrated look for your garden.

- ✓ Single size 80mm paving
 - ✓ TRIO packs of 60mm paving
 - ✓ Integrate with Lugano garden paving
 - ✓ In excess of 70% non-primary materials used in facing layer
- See page 102 for product information



Lugano Silver Grey with Beta Charcoal Edging and detailing



Silver Grey



Graphite Grey



Bronze Fleck



Burnt Fleck



Silver Fleck

Aura

The perfect courtyard cobbles with a tumbled riven surface and a delicate sparkle

Tumbled cobbles with a riven surface and delicate shimmer that make a great alternative to granite setts. Create stunning curves using the Circle Kit.

- ✓ Paving
 - ✓ Circle
 - ✓ Kerbs
- See page 102 for all product information

Note: Always use permeable chippings for jointing Aura paving before applying kiln dried sand.



Aura Bronze Fleck



Aura Bronze Fleck

Winner: Large Driveway of the Year 2014 – page 85



Aura Silver Fleck (shown wet)



Alpha Antique

Warm, rustic tones that blend with any surrounding

With a distressed, aged look that blends well with most surroundings, it isn't surprising that Alpha Antique is one of the most popular choices. The yellow and orange tones evoke a warm rustic ambience, ideal for period properties. For more contemporary homes, the elegant greys give a sophisticated touch.

- ✓ Paving
- ✓ Circles
- ✓ Kerbs
- See page 100 for product information
- Alpha Antique is also available as a Permeable paving range, page 86
- Alpha Antique is also available as a TRIO product, page 82





Autumn Mix



Charcoal



Russet

Classico

*Simple but striking,
versatile and colourful*

An exceptional product for creating eye-catching designs. Striking patterns can be created by mixing individual colours, especially if they are laid as circles or curves.

- ✓ Paving
 - ✓ Circle
- See page 102 for all product information

Note: Always use permeable chippings for jointing Classico paving before applying kiln dried sand.



Classico Autumn Mix and Charcoal





Regatta

Create distinctive styles with a cobbled look

The ever-popular Regatta range delivers a strong style statement with its cobbled look.

The beautifully riven blocks come in four different sizes and three attractive colours.

For pattern ideas visit the Regatta product page on www.brettpaving.co.uk.

- ✓ Paving
- ✓ Circle
- ✓ Use with High or Drivestyle Kerbs
- See page 103 for product information
- Regatta is also available as a TRIO* product, page 83



*Standard Regatta and Regatta TRIO should not be mixed

Beta

Clean lines and smooth surfaces to create contemporary drives

Beta's clean lined, smooth surfaces give a wonderful contemporary design to any driveway. This low maintenance paving solution is also great in the garden due to the reduced gap between blocks which minimises soil collection. Available in five sizes, Beta allows for a wide range of laying patterns to get just the right look.

- ✓ Paving
- ✓ Circles
- See page 101 for product information
- Beta is also available as a TRIO* product, page 83



*Standard Beta and Beta TRIO should not be mixed



new



Delta Autumn Gold with Omega Charcoal and Autumn Gold Edging

Delta

Large format block paving for a modern aesthetic

Brett Delta block paving is designed to build on the success of the ever popular Omega block paving range. Delta paving is designed around the same ratio as Omega but offers a 30% greater surface area giving a fresh, modern aesthetic to this new range as well as making it quicker and easier to install.

Delta paving is available in three of our most popular colours making it an ideal choice for use on driveway approaches to all types of home.

- ✓ Large format block paving
 - ✓ 50mm thickness
 - ✓ Can be integrated with Omega paving for edge detailing and patterns
 - ✓ Distinctive look and feel for your driveway
- See page 103 for all product information




Omega

The wide range of colours and accessories offers endless scope

Omega Paving is extremely popular, partly due to the range of three thicknesses, making it suitable for most projects. Its modern lines blend with almost any environment and develop a mature character over time.

Use Omega Paving with complementary kerbs, such as the High or Drivestyle Kerb, to create functional and attractive boundaries.

- ✓ Paving
- ✓ Half Omega (made to order)
- ✓ Bishops Hat (made to order)
- See page 103 for all product information
- Omega is also available as a Permeable Paving range, page 87



TRIO paving from Brett

Multi- sized product in the same pack allows the use of classic laying patterns with less waste

We have developed the Brett TRIO range of block paving to make life easier for the smaller contractor or DIY enthusiast looking to enhance their own driveway. Traditionally, the majority of our block paving products come in single size packs, which is ideal for the contractor as it allows them to mix and match block sizes to create just the look that they want to delight their customer.

However, for the smaller project, this could create problems with left-over product once the installation is complete. The concept behind TRIO is to offer multi-sized product in the same pack, making it ideal for the smaller contractor or DIY-er since the ratio of block sizes in the pack is pre-determined around classic laying patterns for that range.

Both Regatta and Beta TRIO are regionally manufactured products, so please be aware that subtle colour and texture variation may occur.

→ See the following pages for all product information:
Alpha TRIO 100, Regatta TRIO 103, Beta TRIO 101

Alpha TRIO Available in 50 or 60mm thickness.



Small
105 x 140mm



Medium
140 x 140mm



Large
210 x 140mm




new

Regatta TRIO Available in 60mm thickness.



Beta TRIO Available in 60mm thickness.



Large and small driveway of the year

The independent judges at this year's awards were particularly impressed by the quality of installation seen on both a very large, as well as a very small project, proving that achieving a distinctive look for your driveway isn't related to scale.

As normal, 2014 saw an incredibly high standard of entries completed for satisfied customers, all for our panel of industry independent judges to pick from – no easy task.



Winner 2014: Small driveway of the year A & M Paving Contractors

A & M Paving Contractors were named as winner of the 'Small Driveway of the Year' award with this project which shows how it's possible to create a great looking driveway in even the most confined of spaces.

Here, Beta in Autumn Gold has been used with great effect to emphasise the Beta Silver Haze circle and define the edges of the area, giving the homeowners a unique look with blends with their home and will stand the test of time.



Beta Silver Haze with Autumn Gold demarcation



Beta Silver Haze with Autumn Gold demarcation

Winner 2014: Large driveway of the year Carew Driveways & Patios

Carew Driveways & Patios were the well-deserved winners of the prestigious 'Large Driveway of the Year' award with this incredible driveway created using Silver Fleck from our Aura block paving range.

The judges felt that the combination of great design and the aged appearance of the Aura block paving created one of the most impressive drives they had seen for some time.





Alpha Flow Brindle

Permeable Paving

Alpha Flow

The popularity of Alpha Antique's rustic multi sized paving, now combined with permeability benefits.

- ✓ Paving
- ✓ Permeable Chippings
- See page 100 for all product information



Autumn Gold



Brindle



Charcoal



Omega Flow Autumn Gold

Omega Flow

Omega Flow offers an excellent solution for permeable domestic driveways.

- ✓ Paving
- ✓ Permeable chippings
- See page 103 for all product information




Autumn Gold




Natural



Brindle



Charcoal



Burnt Oak

Watch Omega Flow...
scan the QR code



Kerbs

Block Paving Kerbs

In addition to our range of driveway paving products we also offer a wide range of concrete block kerb products which will complement your new driveway - perfectly.

→ See pages 100, 102 and 104 for all product information



High Kerb Autumn Mix



Rustic Kerb Autumn Mix



High Kerb Charcoal



High Kerb Charcoal



Drivestyle Kerb Charcoal



Mobility Kerb Charcoal





Product information

This section contains useful information on understanding and choosing colour as well as all the product nitty gritty you'll need to order just what you want for your project.

- | | | | |
|-----|------------------------------|-----|-------------------------|
| 92 | Understanding paving colours | 108 | How to install a patio |
| 94 | Natural stone | 110 | How to install a drive |
| 96 | Flag paving | 112 | Sustainability |
| 99 | Edgings | 113 | Responsible sourcing |
| 100 | Block paving | 114 | Brett and the community |
| 104 | Kerbs | 115 | Additional information |
| 105 | Accessories | | |

Understanding paving colours

Get your first impression through photos but always choose from actual samples.

Here is a quick overview to help understand and choose the correct colour and the different variations you may encounter. It's great to look at photography but essential to choose by seeing a few samples.

7 Get samples to be colour-sure

You can quickly and easily obtain a product sample in your desired colour from either your Brett Approved Installer or your local Brett stockist. If you don't know who this would be we have a handy 'Find a Stockist' feature on our website.



The sample will give you a good guide as to how your product will look once installed. However, variance in colour is still possible across our product range due to a range of different factors:

- i. All concrete products are manufactured from a mixture of sand, cement, aggregate and pigment which can give variations in colour mix shades from batch to batch and site to site.
- ii. Natural Stone products will vary in colour depending upon where it is quarried from and how the stone is processed prior to arriving with you.

These variations are impossible to prevent but do bring character to your paving; without these variations a paved driveway or patio would look very dull and lifeless and uninteresting.

When you choose a colour from a photograph there are many factors that can change how the product looks: what time of day the photograph was actually taken; climatic conditions and the printing of the photography in brochures – can all cause variations.

8 How colours can appear differently

This section is intended to explain how you should view colours when you are selecting the best one for you. Let's start by looking at two images showing the same colour (Autumn Mix) at two different locations, shot at different times of day and different product types.



This illustrates how colours can differ in the photos due to climatic conditions, but also how different manufacturing processes involved – for instance, Alpha Antique which is tumbled to give an aged appearance and Classico which is not – can alter the appearance of colour.

Getting to know Brett colours

Block paving is a man made product and is available in two generic types as follows:

Single colours

These are the easiest to get to grips with. Each single colour product uses a single pigment to colour the concrete it's made from, or, in the case of 'Natural', no pigment at all which means it can vary the most in terms of colour depending upon the aggregates used in its manufacture.

The single colour products available from Brett Landscaping are Natural, Charcoal, Buff and Red.

Multi-colours

Any other colour from the Brett Landscaping concrete paving range will be a multi-coloured product, these all use more than one pigment within the manufacturing process to get the ideal colour mix. Some of our products, for example Aura, also have a sparkle in the aggregate to complement the colour blending.

These colours go randomly into multi-colours; for example, the ever popular Brindle is a mixture of red and charcoal pigments as shown below.

If we look more closely, we can see that the result of the manufacturing process is blocks that vary from one end of the spectrum through to the other. Here we can clearly see four distinct colour mixes.

Typically, each pack will include a random selection of these colour mixes. Packs can visually look quite different when they arrive on site, but once mixed together, the result is a naturally good looking, multi-coloured driveway.

Because of these facts, when getting samples of a 'multi-colour' product it is imperative to get more than one block (a minimum of three is recommended for the final decision maker).

Such colour mixing has more variations when the paving block colour has three pigments randomly placed in it.

Natural Stone

It is far more difficult to be exact when it comes to defining colours within any naturally occurring material because there are so many interacting elements in the multi-million year process by which the material is formed.

Broadly speaking there are three types of natural stone:

- 1 Sedimentary rocks including Sandstone and Limestone.
- 2 Igneous rocks such as Granite.
- 3 Metamorphic rocks such as Quartzite and Slate.

Igneous rocks tend to be very dense and uniform in appearance, making them ideal for applications where consistency is essential – for example to complement sharp modern designs.

In contrast, sedimentary and metamorphic rocks have far more colour variations in both colour and texture; for instance naturally occurring Iron Oxides which generally provide the red/brown colours found in a natural sedimentary stone product such as Sandstone.

These minerals can create veins which run through a rock and create amazing patterns. This can be further enhanced by fossil deposits – as frequently seen within Fossil Mint – which add further interest to an area paved with natural stone.

These variations are not faults in the product but naturally occurring phenomena which give long lasting beauty to natural stone paving – a beauty that generally improves over time as the stone weathers in to its surroundings.

Across the range of Brett Natural Stone paving the other factor which can impact upon colour is the effect of processing; for example looking at the Midnight Storm Quartzite within our Elite and Style ranges the appearance is dramatically changed between a polished stone and a textured stone.

These variations can be used to create amazing designs where the differences can be used to provide dramatic highlights and contrasts within a paved area.



Product information

Elite Stone


The following product data includes Textured, Granite, Tumbled and Polished Elite Stone.



Elite Stone Patio Pack

Available in all Elite Stone types.

Flag type	Size (mm)	No.	Area m ²
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	




Other Elite Stone products

Flag type	Size (mm)	No.	Area m ²	Range
Plank	900 x 150	64	9.32	Granite, Polished
	210 x 140	160		
Setts	140 x 140	160	11.64	Tumbled
	105 x 140	160		
Sett	100 x 100	700	8.47	Granite

Circle with Corner Pack

Available in all Elite Stone types, excluding Midnight Storm. 6.15m² per pack.



Style Stone


The following product data includes Sandstone, Limestone, Quartzite and Brazilian Slate Style Stone.



Style Stone Patio Pack

For Limestone, Brazilian Slate and Sandstone.


Flag type	Size (mm)	No.	Area m ²
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	



1xD and 1xK flag not used


Circle with Corner Pack

Available in Limestone, Brazilian Slate and Sandstone. 6.15m² per pack.



Style Stone Quartzite (only) Patio Pack

Flag type	Size (mm)	No.	Area m ²
Q	600 x 400	16	12.17
R	400 x 400	32	
S	400 x 200	32	
T	200 x 200	16	



Other Style Stone Quartzite products

Flag type	Size (mm)	No. per pack	m ² per pack
Plank	600 x 150	66	6.44

Creative Stone


The following product data includes Forest Glen, Fossil Mint, Modak and Sunrise Creative Stone.



Creative Stone Patio Pack

Available in all Creative Stone types.

Flag type	Size (mm)	No.	Area m ²
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	



1xD and 1xK flag not used

Creative Stone Small Patio Pack

Available in all Creative Stone types.


Flag type	Size (mm)	No.	Area m ²
A	900 x 600	6	7.18
D	600 x 600	6	
F	600 x 300	6	
K	300 x 300	5	



1xF flag not used

Circle with Corner Pack

Available in all Creative Stone types.
6.15m² per pack.



Smart Stone


The following product data includes Limestone and Sandstone Smart Stone.



Smart Stone Patio Pack

Available in all Smart Stone types.

Flag type	Size (mm)	No.	Area m ²
A	900 x 600	13	15.37
D	600 x 600	13	
F	600 x 300	13	
K	300 x 300	9	



1xD and 1xK flag not used

Other Creative Stone products

Available in all Creative Stone types.

Flag type	Size (mm)	No. per pack	m ² per pack
A	900 x 600	28	15.54
D	600 x 600	40	14.88
F	600 x 300	85	16.07

Brett is committed to Ethical Trading – for more information, please see page 113 or visit www.brettpaving.co.uk



Westminster


This product is available as standard in the following colours.




Westminster Patio Packs

Flag type	Size mm	No. per pack		
		7 Size (large)	6 Size (medium)	3 Size (small)
B	750 x 600	4		
D	600 x 600	8	7	9
E	600 x 450	9	6	
F	600 x 300	10	6	8
G	450 x 450	12	4	
H	450 x 300	8	4	
K	300 x 300	6	8	8
Area (m²)		13.50	7.61	5.63

Westminster 6 size pack




Westminster 7 size pack



Westminster 3 size pack

1xD flag not used



Westminster Accessories

Westminster Walling

The Westminster walling range comes in full blocks and two different sizes of copings.

Type	Size (mm)	No. per pack	Face area per pack (m ²)	Linear m per pack
Full block	327x102x102(h)	54	2.04	–



Single coping	327x102x107(h)	16	–	5.39
---------------	----------------	----	---	------




Double coping	327x215x89(h)	20	–	6.74
---------------	---------------	----	---	------



Westminster Circle Pack

5.94m² per pack.



Westminster Full Circle Corner kit

3.48m² per pack.



Other Westminster products

Available in Millbank and Old Gold.

Flag type	Size (mm)	No. per pack
Stepping stone	540 x 400 (variable)	24



Millstone	600 dia. x 100	1
-----------	----------------	---



Bronte


This product is available as standard in the following colours.



Bronte Patio Pack

Flag type	Size mm	No. per pack
5 Size		
D	600 x 600	7
E	600 x 450	8
F	600 x 300	6
G	450 x 450	4
K	300 x 300	8
Area (m²)		7.61

Bronte 5 size pack



Other Bronte products

Available in all colours.

Flag type	Size mm	No. per pack	m ² per pack
D	600 x 600	32	11.91
E	600 x 450	64	17.96
F	600 x 300	64	12.10
G	450 x 450	64	13.54
K	300 x 300	64	6.15
Stepping stone	300 dia.	28	-



Bronte Accessories

Garden Walling

The Garden walling range complements Bronte and the Brett range of garden paving.

Type	Size (mm)	No. per pack	Face area per pack (m ²)	Linear m per pack
Large block	300x160	64	3.37	-
Medium block	300x75	128	3.37	-
Small block	200x75	128	2.28	-
Coping	600x150	60	-	36.6




Bronte Full Circle Pack

2.69m² per pack.




Bronte Full Circle Corner kit

2.02m² per pack.



Bronte Half Circle Pack

4.84m² per pack.



Canterbury

This product is available as standard in the following colours.




Canterbury Patio Pack

Available in all colours.

Flag type	Size mm	No. per pack
3 Size		
D	600 x 600	9
F	600 x 300	8
K	300 x 300	8
Area (m²)		5.63

1xD flag not used



Other Canterbury products

Available in all colours.

Flag type	Size mm	No. per pack	m ² per pack
D	600 x 600	30	11.16
F	600 x 300	60	11.35
G	450 x 450	60	12.70
K	300 x 300	60	5.77

Varano

This product is available as standard in the following colours.



Flag type	Size mm	No. per pack	m ² per pack
Ground	600 x 300	24	4.54
			
Textured	600 x 300	24	4.54
			
Striped	600 x 300 (made to order)	24	4.54
			

Rochester Brick

This product is available as standard in the following colours.



Flag type	Size mm	No. per pack	m ² per pack
	450 x 450	48	10.16
	450 x 225	48	5.19

Lugano

This product is available as standard in the following colours.



Flag type	Size mm	No. per pack	m ² per pack
	600 x 600	26	9.68
	450 x 450	56	11.85

Chaucer

This product is available as standard in the following colours.



Flag type	Size mm	No. per pack	m ² per pack
	600 x 600	26	9.68
	450 x 450	56	11.85

Edgings

Rope Top Edgings

Available in: Charcoal, Terracotta and Brindle. 580 x 50 x 150mm (h)

No per pack	Lin. m pack
42	25.24




Rope Top Brindle

Scallop Edgings

Available in: Buff and Natural. 600 x 50 x 150mm (h)

No per pack	Lin. m pack
48	28.80



Scallop Buff

Flat Top Edgings

Available in: Charcoal and Brindle. 600 x 50 x 150mm (h)

No per pack	Lin. m pack
48	28.80



Flat Top Charcoal

Round Top Edgings

Available in: Charcoal and Brindle. 600 x 50 x 150mm (h)

No per pack	Lin. m pack
48	28.80



Round Top Brindle

Economy paving


Concrete Paving products have consistent thicknesses to provide quick and easy installation.



Quorndon

Available in all colours.

Flag type	Size (mm)	No. per pack	m ² per pack
	600 x 600	25	9.30
	600 x 300	25	4.73
	450 x 450	50	10.58
	300 x 300	50	4.80



Stamford

Available in all colours.

Flag type	Size (mm)	No. per pack	m ² per pack
	600 x 600	32	11.91
	450 x 450	64	13.54



Broadway Economy

Available in all colours.

Flag type	Size (mm)	No. per pack	m ² per pack
	600 x 600	32	11.91
	450 x 450	64	13.54

Alpha

This product is available as standard in the following colours.



Alpha Antique single sizes

Available in all colours.

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Small (68 per m ²)	105x140	50	732	10.76
		60	702	10.32
		80	480	7.06
Medium (51 per m ²)	140x140	50	552	10.82
		60	528	10.35
		80	360	7.06
Large (34 per m ²)	210x140	50	368	10.82
		60	352	10.35
		80	240	7.06
Extra Large (28 per m ²)	252x140	60	252	8.89
Jumper (17 per m ²)	280x210	60	168	9.88

Alpha Flow

Available in Brindle, Charcoal and Autumn Gold.

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Small (68 per m ²)	105x140	60	702	10.32
		80	510	7.5
		Medium (51 per m ²)	140x140	60
80	384	7.53		
Large (34 per m ²)	210x140	60	352	10.35
		80	256	7.53


Alpha Circle Packs

Available in all colours, 50mm or 60mm.


Pack	Thickness (mm)	No. per pack	m ² per pack
Small Circle Pack (1.55m)	50 or 60	127	1.89
Large Circle Pack (2.95m)	50 or 60	464	6.84

See www.brettpaving.co.uk for laying patterns.

Small Circle Pack



Large Circle Pack



Alpha TRIO


Available in Brindle, Autumn Gold and Silver Haze.

Thickness (mm)	Block size (mm)	No. per pack	m ² per pack
50mm	105 x 140	132	11.64
	140 x 140	198	
	210 x 140	198	
60mm	105 x 140	108	9.52
	140 x 140	162	
	210 x 140	162	


Alpha kerbs

Available in Autumn Gold, Brindle and Charcoal.

Kerb type	Size (mm)	No. per pack	Lin. m per pack	No. per lin. m
Alpha	125x100x125	270	27	10



Rustic	200x100x150	168	16.8	10
--------	-------------	-----	------	----



A full set of accessories, including corners and radials, is available.

Beta

This product is available as standard in the following colours.



Beta single sizes

Available in all colours.

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Small (68 per m ²)	105x140	60	672	9.88
		80	432	6.35
Medium (51 per m ²)	140x140	60	504	9.88
		80	324	6.35
Large (34 per m ²)	210x140	60	344	10.12
		80	232	6.62
Extra Large (28 per m ²)	252x140	60	234	8.26
Jumper (17 per m ²)	280x210	60	156	9.17

Beta TRIO*

Available in Burnt Oak and Silver Haze.

Location and Thickness (mm)	Block size (mm)	No. per pack	m ² per pack
Barrow	105 x 140	104	
60mm	140 x 140	156	9.20
	210 x 140	156	
Cliffe	105 x 140	108	
	140 x 140	162	9.52
	210 x 140	162	
Poole	105 x 140	120	
	140 x 140	120	9.41
	210 x 140	180	


*Colour variation compared to standard Beta may occur, due to regional manufacture

Beta Circle Packs

Available in all colours.

Pack	Thickness (mm)	No. per pack	m ² per pack
Small Circle Pack (1.55m)	60	127	1.89
Large Circle Pack (2.95m)	60	464	6.84


See www.brettpaving.co.uk for laying patterns.



Laying patterns

For Alpha and Beta block paving.


3 size random stretcher course



Example shown suitable for Alpha Antique Alpha Flow and Beta Pattern requires per sq.m:

- 16 no. Small
- 16 no. Medium
- 16 no. Large


4 size random stretcher course



Example shown suitable for Alpha Antique and Beta. Pattern requires per sq.m:

- 10 No. Small,
- 10 No. Medium
- 10 No. Large
- 10 No. Extra large

45° Herringbone




Example shown suitable for Alpha Antique, Alpha Flow and Beta Pattern requires per sq.m:

- 34 No. Large

More patterns are available at www.brettpaving.co.uk

Lugano

This product is available as standard in the following colours.



Lugano single sizes

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Small (68 per m ²)	105x140	80	480	7.06
Medium (51 per m ²)	140x140	80	384	7.53
Large (34 per m ²)	210x140	80	256	7.53

Lugano TRIO

Thickness (mm)	Block size (mm)	No. per pack	m ² per pack
60mm	105 x 140	120	9.41
	140 x 140	120	
	210 x 140	180	

Aura

This product is available as standard in the following colours.




Aura single sizes

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Stone (50 per m ²)	171x114	60	385	7.50
Square Stone (75 per m ²)	114x114	60	539	7.01

Aura kerb

Available in Burnt Fleck, Silver Fleck and Bronze Fleck.


Block type	Size mm	Thickness mm	No. per pack	Lin m per pack
Aura	125x100	125	270	27



Aura Circle Pack

1.67m² per pack.

Contains: 1 centre
8 small circle
84 large circle
50 square stone



Classico

This product is available as standard in the following colours.




Classico single sizes

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Stone (50 per m ²)	171x114	60	378	7.37
Square Stone (75 per m ²)	114x114	60	567	7.37

Classico Circle Pack

1.67m² per pack.

Contains: 1 centre
8 small circle
84 large circle
50 square stone




More patterns are available at www.brettpaving.co.uk

Laying patterns

For Aura and Classico block paving.


Victorian Weave



Example shown suitable for Aura and Classico Pattern requires per sq.m:

- 19 No. Square Stone
- 38 No. Stone

Herringbone



Example shown suitable for Aura and Classico Pattern requires per sq.m:

- 50 No. Stone

Regatta

This product is available as standard in the following colours.



Regatta single sizes

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Medium (57 per m ²)	133x133	60	432	7.64
Large (38 per m ²)	200x133	60	288	7.66
Extra Large (32 per m ²)	240x133	60	240	7.66
Jumper (19 per m ²)	266x200	60	144	7.66

Regatta TRIO

Available in Autumn Gold and Silver Haze.

Thickness (mm)	Block size (mm)	No. per pack	m ² per pack
Barrow	100 x 133	104	
60mm	133 x 133	156	8.32
	200 x 133	156	
Cliffe	100 x 133	108	
60mm	133 x 133	162	8.64
	200 x 133	162	
Poole	100 x 133	120	
60mm	133 x 133	120	8.50
	200 x 133	180	

Regatta Circle Packs

Pack	Thickness (mm)	No. per pack	m ² per pack
60mm Small Circle Pack (1.55m)	60	127	1.89
60mm Large Circle Pack (2.95m)	60	464	6.84

Delta

This product is available as standard in the following colours.




Delta single sizes

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Standard (29 per m ²)	266x133	50	288	10.19

Omega

This product is available as standard in the following colours.



Omega single sizes

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Standard (50 per m ²)	200x100	50	488	9.76
		60	404	8.08
		80	308	6.16

Omega Flow


This product is available as standard in Brindle, Burnt Oak, Autumn Gold, Natural and Charcoal.

Block type	Size (mm)	Thickness (mm)	No. per pack	m ² per pack
Standard (50 per m ²)	200x100	60	404	8.08
		80	308	6.16

Laying patterns

For Regatta, Delta and Omega block paving.


4 size Herringbone



Example shown suitable for Regatta Pattern requires per sq.m:

- 8 No. Medium
- 8 No. Large
- 8 No. Extra Large
- 8 No. Jumper


Mixed Herringbone



Example shown suitable for Delta Pattern requires per sq.m:

- 18 No. Delta
- 18 No. Omega

45° Herringbone



Example shown suitable for Omega and Omega Flow. Pattern requires per sq.m:

- 50 No. Standard

More patterns are available at
www.brettpaving.co.uk

Kerbs

High Kerb


No per pack	Lin. m pack	No per lin m
168	16.8	10

Corners and Radials are sold individually in both Half batter and Bullnose designs.

High profile design kerb system

- ✓ Non-tumbled finish for clean lines
- ✓ Multi profile options using the same unit
- ✓ Full set of corners and radials available
- ✓ Droppers and transitions available

Colours: Autumn Gold, Brindle, Charcoal, Autumn Mix, Red



Drivestyle Kerb


No per pack	Lin. m pack	No per lin m
270	27	10

Corners and Radials are sold individually in both Splay and Bullnose designs.

Lower profile design kerb system

- ✓ Non-tumbled finish for clean lines
- ✓ Multi profile options using the same unit
- ✓ Full set of corners and radials available
- ✓ Droppers and transitions available

Colours: Autumn Gold, Brindle, Charcoal, Autumn Mix, Red




Mobility Kerb

No per pack	Lin. m pack	No per lin m
270	27	10

The Brett Mobility Kerb has been designed to provide sufficient warning of a pavement edge for users with visual impairment whilst not creating a hazard for physically limited users. This low profile kerb system is ideal for use with our Beta paving range to create a trip-free environment for your outdoor paving.

- ✓ Good tactile feel for partially sighted people
- ✓ Selection of fittings for ease of design
- ✓ Ideal for shared space developments

Colours: Available in Brindle and Charcoal



Accessories

Permeable Chippings for Block Paving

Permeable Chippings have an angular shape and are essential for installations of permeable paving. Permeable Chippings are used to fill in the large voids between permeable blocks to ensure a strong joint.

Also, for Aura and Classico standard block paving, use Permeable Chippings, then top up with jointing sand (this is not permeable).

Permeable Chippings coverage per 20kg

60mm Permeable Paving	= 3.2m ²
80mm Permeable Paving	= 2.4m ²
Aura/Classico Rectangular Block Patterns	= 5.3m ²
Aura/Classico Circles/Fleur de Lys Patterns	= 4.0m ²

Available in maxi and bulk bags.

Block Paving Jointing Sand

Kiln Dried Sand is used for filling joints on block paving creating a close and tight bond. The coverage is dependent on the thickness of the block paving.

Jointing sand coverage per 20kg

Block paving thickness	coverage
50mm	approx. 6.1m ²
60mm	approx. 4.5m ²
80mm	approx. 3.5m ²

Available in maxi bags only.

Decorative aggregates

All decorative aggregates are available in both mini bags and bulk bags.

Product	Grade	Coverage (kg/m ²)
Natural Slate	40	62.5
Plum Slate	40	62.5
Green Slate	40	62.5
Red Granite	14	75
Green Granite	14	75
Pearl Spar	11	70
Cotswold Stone	20	75
Canterbury Spar	11	60
Havana Gold	20	70
Beach pebbles	40	55
Honey Gold	10	70
Spanish Marble Mix	20	75







Installation

Having got an idea for the look you want and the products you might use, the information in this section will help you onto the next stage if you have chosen to go down the Do It Yourself route.

Many Brett stockists can provide design help as part of their service and are able to advise on many aspects of your project. Find your local stockist today by visiting us at www.brettpaving.co.uk/wheretobuy

For more detailed information on our products or to find laying patterns and finishing touches, go to www.brettpaving.co.uk

How to lay a patio

No matter what your project or materials you are using, if you have decided to do it yourself there are a number of factors you need to be aware of and important steps you need to take.

Here are some examples of the steps required to cover the most basic patio paving installation. If you need any further information on our products or installation call our Customer Services Team on 0845 60 80 570 or email landscaping@brett.co.uk

Materials and tools checklist

The key to starting off this style of project is the equipment, correct tools and materials for the job and having them all close to hand. Quantities of the following materials will vary depending on the size and sub-base requirements of your patio.

You will need essential personal protection equipment: Gloves, Safety Goggles, Face Mask, Ear Protectors, Knee Pads and Safety Shoes.

Materials

- Sub-base Material (MOT Type 1)
- Brett Building Sand
- Cement
- Washed Sharp Sand
- Paving Flags

Tools

- Trowel
- Pointing Iron
- String Line and Pegs
- Edging Iron
- Rubber Mallet
- Builders Square
- Rake
- Shovel
- Spirit Level
- Skip
- Wheelbarrow
- Pick axe
- Tape Measure
- Yard Broom
- Vibrating Plate Compactor
- Diamond Disc Cutter (Optional)
- Mini-Excavator (Optional)
- Cement Mixer (Optional)



Before you start...

Draw a simple plan of your home and garden, sketching where you would like areas to be paved. Once your plan has been finalised, lay out lengths of string to mark out the dimensions of your purposed patio in position. When you are happy with this, let the digging commence.

Hints & Tips: Arrange for material to be stacked on a dry base and allow enough room for mixing concrete and mortar.

NB. Paving products can be heavy. Assess the safest method of installing them.

Step 1: Site preparation

Mark the pegs beforehand to indicate the depth and remember to allow for a gradual slope away from your property. Using the tape measure mark out the patio area. Check the corners, using a builders square. Removing topsoil is easily done using an edging iron and cutting the turf into manageable squares. Simply scoop with a spade and remove using a wheelbarrow and skip.



The excavated depth should be 150mm or 6 inches from the finished patio level. Measure the final depth of excavation using the pegs and strings.

Check the depth at the edge using a tape measure. Compact the soil with the Vibrating Plate Compactor and re-check the overall depths and slope of the area using the pegs and spirit level.



If you find soft spots in the soil, further excavation may be required. These spots can then be filled and consolidated with sub-base material.

Check all 90° corners and depths thoroughly before putting down the sub-base material

When using excavation machinery please follow the manufacturer's guidelines including acceptable levels of exposure and in particular use ear protection.

Step 2: The sub-base

Having tipped the sub-base material into the laying area, rake into position to a consistent depth of 100mm or 4 inches.



Once the area is covered, check the depth using a spirit level, pegs and string line.

Compact the area using a Vibrating Plate Compactor, making sure the entire area has been compressed at least twice. Check again for any sinking areas. If this occurs, an extra depth of sub-base material should be considered.



Once the sub-base is smooth, flat and to the appropriate level, check the drainage slope with a straight edge and spirit level.

When using the vibrating plate machinery please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use ear protection.

Hints & Tips: We also recommend that the paving flags are selected from different packs as it is being laid to ensure an even colour mix.

Step 3: Preparing the mix and laying paving flags

When preparing the cement mix, please avoid direct handling of cement, always cover your skin.

Either using the cement mixer or wheelbarrow and shovel, prepare a mortar mix of 5 parts building sand, 1 part cement and add water to create a doughy consistency.

To check this is correct use the 'snow ball' test, pick up a handful of mortar mix and squeeze into a ball, when you let go the mix will retain its shape without oozing water or falling apart.



Starting in the corner, trowel a bed of mortar to cover the area intended for the first paving flag. The depth of the mortar bed should be approximately 35-40mm. Level off but ensure the mortar is not compact as you want the flag to sit within the mix about 10-15mm deep.

Remember when lifting and carrying paving units always consider the weight before attempting to

lift. If it is heavy, get help. Take care not to trap fingers whilst handling paving units.

Lower the first paving flag into position, holding it diagonally will make it easier to lower it. Settle it cleanly into the mortar without sliding it about so a good bond forms between the mortar and paving flag.



Line up the paving flag with the string lines and gently tap it into the mortar using the rubber mallet.

Repeat the process, continuously checking against the string line. Also, use the spirit level to check the surface is at the correct level.

Check that no edges are standing up proud simply by running your hand over the joints. Ensure consistent gaps, ideally of 10-15mm between the slabs.

Leave the slabs for at least 24 hours so that the sand cement mix can set.

Step 4: Cutting

Great care is needed and it is essential to use equipment specially designed for this operation. Diamond disc cutters with water suppression are ideal. They are readily available at your local equipment hire store.

Check you are wearing good personal protective equipment for this activity.



Mark the paving flag surface with the intended cutting line for guidance. Place the paving flag on a platform and carefully saw using a diamond disc cutter.

When using cutting equipment please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use eye protection.

Step 5: Pointing

You can either buy ready mix compound or, using the shovel and trowel, prepare a jointing mix of 5 parts building sand, 1 part cement and water to a damp, semi-dry consistency.



Firm it into the joints using the trowel and finish with the pointing iron, compacting the mix into the gaps and producing neat grooves.

Carefully remove any excess pointing material using the trowel and yard broom, ensuring no residue is left on the slab surface.

Other chemical jointing compounds are available, contact our Customer Services Team on 0845 60 80 570 for more information.

Hints & Tips: Clean mortar spillage immediately to prevent staining and if possible joints should be pointed on a dry day.

How to lay block paving

The professionals make laying block paving look easy, but with the right materials and some manual work it is not quite the major undertaking that you may have first thought. Follow this simple step by step example guide to laying a non-permeable driveway.

Materials and tools checklist

The key to starting off this style of project is the equipment, correct tools and materials for the job and having them all close to hand. Quantities of the following materials will vary depending on the size and sub-base requirements of your patio.

You will need essential personal protection equipment: Gloves, Safety Goggles, Face Mask, Ear Protectors, Knee Pads and Safety Shoes.

Materials

- Sub-base Material (MOT Type 1)
- Brett Building Sand
- Cement
- Washed Sharp Sand
- Paving Flags

Tools

- Trowel
- Pointing Iron
- String Line and Pegs
- Edging Iron
- Rubber Mallet
- Builders Square
- Rake
- Shovel
- Spirit Level
- Skip
- Wheelbarrow
- Pick axe
- Tape Measure
- Yard Broom
- Vibrating Plate Compactor
- Diamond Disc Cutter (Optional)
- Mini-Excavator (Optional)
- Cement Mixer (Optional)

Before you start...

Draw a simple plan of your home and garden, sketching where you would like areas to be paved. Once your plan has been finalised, lay out lengths of string to mark out the dimensions of your purposed patio in position. When you are happy with this, let the digging commence.

Hints & Tips: Have an eye on the weather. Installing block paving is extremely difficult in the rain due to its effect on the sands and aggregates. Therefore plan ahead and, if rain is likely, protect large areas either with plastic sheets or even a gazebo.



Step 1: Site preparation

Depending on the size of the area, using the shovel or mini excavator dig out to the advised level. This will depend on your existing surfaces, our Customer Services team will be able to advise as to the appropriate depth.



If you find soft spots in the soil further excavation may be required. These spots can then be filled and consolidated with sub-base material.

Remove all waste materials from the site using a wheelbarrow and skip.

When using excavation machinery please follow all manufacturers' guidelines including acceptable levels of exposure and in particular use ear protection.

Hints & Tips: Falls are crucial to traditional block paving. It should never be installed flat. Always ensure a gradient of at least 1 in 60 falling towards the drainage system and paving height that's always 150mm below the house damp proof course.

Step 2: Edge restraints

When preparing mix, please avoid direct handling of cement, always cover your skin.



Using the cement mixer, mix 1 part cement and 6 parts ballast to create a concrete foundation for the edge restraint that is 100mm thick. Ensure that the edge restraint unit that is to be placed on the foundation will sit at the required finished level using the string line and spirit level.

The edge restraint can either be a kerb unit of a thick paving block (at least 60mm). Mortar these units into the foundation using the trowel and rubber mallet and again using the concrete, form a haunch up at least half the block height.



Step 3: The sub-base

Further to your specific requirements, apply the sub-base of MOT Type 1 with the rake and thoroughly compact using the vibrating plate compactor in layers of 50mm until your desired level is reached.

Apply a 50mm level of slightly damp, coarse sharp sand and compact down, again using the vibrating plate compactor, to an approximate depth of 35mm.



A further 20mm layer of sharp sand then needs to be raked on top and using the screeding rails and string line, levelled to the correct falls.

When using vibrating plate machinery please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use ear protection.



Step 4: Installation

Remember when lifting and carrying paving units, always consider the weight before attempting to lift. If it is heavy, take care not to trap your fingers whilst handling the paving units.



Ideally starting from a right angle or straight edge, place your blocks on top of the laying course, ensuring that they sit 5mm proud of the finished level.

Following your desired laying pattern ensure that you pick blocks from three or more different packs at any one time in order to minimise the risk of colour patching.

Once all of the blocks are laid into position you will need to cut a number to complete the area. Cutting blocks is best done using a block splitter or diamond disc cutter. Wherever possible, always obtain water suppression cutting equipment.

When using cutting equipment please follow all manufacturer's guidelines including acceptable levels of exposure and in particular use eye protection.

Step 5: Finishing

Using the yard broom, brush the kiln dried sand into all of the joints and thoroughly compact, again using the vibrating plate compactor, ensuring that all of the blocks are at the desired finished level.



Subsequently top the sand and re-compact to ensure that no joints are left unfilled.

Please note, if you are using the Brett Aura or Classico range of paving blocks the Brett Permeable Chippings need to be applied in this finishing process.



Hints & Tips: Always keep a bag of kiln dried sand around after you've finished your job, as sand will come out of the joints in the initial life of the area. Regularly top up until it settles in the joints.

Sustainability

Brett Landscaping work hard at improving your environment by providing a wide range of beautiful hard landscaping solutions.

However, we also work hard at ensuring that this doesn't come at the cost of the wider environment.

Brett Landscaping are fully committed to managing our impact upon the environment and have a rigorous internal system to back this up.

However, you don't have to take our word for this – most of our commitments are independently audited and reported on annually.

You can find out far more at www.brett paving.co.uk



Responsible product sourcing

Brett Landscaping is committed to a policy of no harm within our supply chains.

We ensure that we achieve this through a number of auditable processes.

Responsible sourcing

Brett Landscaping was one of the first manufacturers within our sector to achieve certification to the BES 6001 Responsible Sourcing of Construction Products standard which evaluates how well we perform as a business.

A key part of this is that we report annually to all of our stakeholders via our website; if you want to see how well we performed please visit www.brettpaving.co.uk.



Carbon reduction

Since 2011 Brett Landscaping has been actively measuring our Carbon usage across all of our hard landscaping products. This commitment ties in to our British Precast Concrete Federation Sustainability Charter pledge to ensure that we reduce our year-on-year Carbon usage thereby ensuring that we minimise our impact upon the World around us.

CO₂

British Precast Concrete Federation Sustainability Charter

Brett is a signatory to the BPCF sustainability charter. The key value of the Charter is to guide companies towards focusing on the issues that have the greatest impacts on economic viability, social progress and environmental performance in the precast sector.



Ethical Trading

Some of our products are sourced from outside the UK. In order to ensure ethical trading conditions throughout our supply chain, we have become an active member of the Ethical Trading Initiative (ETI).

We are progressively adopting the ETI Base Code which provides a moral framework for the treatment of workers across the world.

We require all of our suppliers to be aware of and to apply the ETI Base Code to their own suppliers.



www.ethicaltrade.org

The Ethical Trading Initiative Base Code

- 1 Employment is freely chosen.
- 2 Freedom of association and the right to collective bargaining are respected.
- 3 Working conditions are safe and hygienic.
- 4 Child labour shall not be used.
- 5 Living wages are paid.
- 6 Working hours are not excessive.
- 7 No discrimination is practised.
- 8 No harsh or inhumane treatment is allowed.

Brett and the community

As a responsible manufacturer Brett Landscaping also believe in giving back to the community and will actively support projects with products, time and money.

Over the past few years we have engaged with projects as diverse as the community initiative at Whittington Cricket Club and supplying product and assistance to their new garden through to the Southroyd Primary School courtyard garden where we supplied block paving so that children from the area could try their hand at being the Brett gardener of tomorrow.



Whittington Cricket club

When Whittington Cricket Club needed to improve their facilities they were well supported by over 200 local volunteers from the community – including Dennis Amiss, Deputy Chairman of the English Cricket Board, Staffordshire all-rounder, Danielle Wyatt as well as Michael Fabricant MP – making it exactly the type of community project that we aim to support.

We were therefore more than happy to provide our Omega concrete block paving to surface the car parking area of the site and help provide an excellent training facility for star cricketers of the future.

Southroyd Primary School

We were approached by Southroyd Primary and Nursery School to see if we could help with a project designed to help pupils and budding horticulturists. The school wanted its students to learn about the benefits of healthy eating by installing an allotment and paved area in the grounds using our textured flag paving products to provide a flat, safe surface for the children to use.

The end result saw the transformation of a previously unused part of school land into a valuable outdoor learning area which will benefit pupils at the school for years to come.



External certification



ISO 9001 QUALITY MANAGEMENT SYSTEM

BS EN ISO 9001: 2008 Quality Management System ensures

consistency of both our product and also service levels ensuring your satisfaction.



ISO 14001 ENVIRONMENTAL MANAGEMENT SYSTEMS

BS EN ISO 14001: 2004

Environmental Management

System is designed to ensure that we minimise how Brett operations negatively affect the environment and continually improve our performance.



OHSAS 18001 HEALTH AND SAFETY MANAGEMENT

BS EN ISO 14001: 2004

Health and Safety Management System provides

us with a mechanism to provide a demonstrably sound occupational health and safety performance monitoring system for all Brett employees.



CE MARKING

All Brett Landscaping products are CE marked to show compliance against the relevant

standard. This does more than just provide full compliance with European regulations – it allows you as the consumer to see exactly what you are buying and compare one manufacturer's products directly with another in terms of its performance



Brett Landscaping

Sibley Road, Barrow upon Soar,
Leicestershire LE12 8LX

Tel 0845 60 80 577 www.brettpaving.co.uk

Additional information

Brett is continually looking to make improvements in the product range and therefore any information such as dimensions and weights are subject to change. Customers should always check with a local stockist that they are using the most current product information.

Find your local stockist by visiting www.brettpaving.co.uk or call 0845 60 80 577.

Colour swatches in this brochure are as accurate as printing allows, however products may vary. This is why we recommend you look at samples and if possible try to see some product laid.

SUITABILITY

Products which are less than 50mm thick are not suitable to run cars on. Only products of 50mm or more are suitable for driveway installation.

CONSIDERATIONS FOR CONCRETE PRODUCTS

Efflorescence: Efflorescence is a temporary salt residue that can occur on all concrete products in their initial life. The salt masks the colour of the product and is often mistaken for fading. The best course of action is to leave the paved area to weather over time and efflorescence will usually disappear.

Differential curing: Dark patches occasionally appear on the surface of garden products. This is known as differential curing and is caused by varying moisture levels within the flag drying at different rates. Like efflorescence, given time and the natural weathering process such patches will tone down and become less visible.

Porosity: Concrete continues to cure for many years after manufacture. Whilst this happens, and usually only during its initial life, a level of porosity may exist where some product retains water giving a damp appearance. This will disappear as the concrete continues to harden and the product dries out.

Aggregate contaminants: Very rarely concrete may be affected with Iron Pyrites and/or Lignite. These are both the result of naturally occurring constituents within the product raw materials which may result in localised discolouration of the surface of an individual unit. This phenomenon will not normally affect the performance of the product.

Sealants: Sealers can help protect and enhance your investment. Before you choose to buy one, make sure you are aware of the following. Sealers may trap potential efflorescence and other forms of discolouration that can occur from time to time, making them almost impossible to remove.

We recommend you wait 12-18 months before sealing. This will allow any potential discolouration to be exposed and enable you to remove it. Before sealing, make sure that the paving is thoroughly cleaned and any joints are filled. Prior to applying to the whole installation, test in a small inconspicuous area.

Surface marking: Some products within the range are deliberately distressed via a tumbling process in order to give them their aged aesthetic. Tumbling can leave a dust on the surface of the product that should significantly reduce with the natural ageing process.

The instances mentioned above are not covered under any product guarantee provided by Brett. For more information on any of the topics above, please contact our Customer Services on 0845 60 80 570.

The colours in concrete paving come from pigmentation placed into the product during production. Products may have 2 or 3 different pigments added to create the subtle and very attractive colour tones. When installed these variations appear more uniform over a large area.

Aged products: such as Alpha Antique and Aura have been distressed with varying production techniques. The distressing process by its very nature creates a random aesthetic. This variation is deliberate and gives the appeal of the product range.

ORDERING

To order Brett product contact your nearest Brett stockist, call 0845 60 80 577 or visit www.brettpaving.co.uk

If samples have been acquired from a Brett stockist, we strongly recommend ordering from the same stockist.

All dimensions quoted in Brett literature are nominal and are for guidance only. Actual sizes of individual units will vary, particularly on garden products. Most sq.m. coverage figures assume a nominal 10mm joint is used between all garden products. If you are having difficulty quantifying the product you require, please call our Customer Services on 0845 60 80 570.

The total quantity required should ideally be ordered and delivered at the same time to reduce the risk of product variation.

DELIVERY & INSPECTION

In the unlikely event of products arriving in a less than satisfactory condition, please refer to your stockist immediately with product and batch code details that are printed on the packaging.

Any suggestion of non-conformity must result in the complaint being registered and the product not being installed. Responsibility for costs incurred for uplifting and relaying defective product may be prejudiced if the defect should have been apparent before installation.

PLANNING PERMISSION

Legislation on hard landscaping changes around your property may require a planning application. The responsibility to comply lies with the homeowner.

HEALTH & SAFETY

Hard landscaping products can be hazardous, especially when lifting, cutting, drilling or abrading. Always carry out a risk assessment and apply the appropriate precautions to help avoid the risk of injury to yourself or others.

INSTALLATION

Brett products should be installed to relevant European standards where appropriate.

Where products fall outside the scope of such standards, Brett best practice installation techniques are recommended. For any queries on installation methods please call our Customer Services on 0845 60 80 570.

Each manufacturing production run of a specific product (or batch) will have its own unique characteristics. Minimising the number of batches will help reduce product variation. Products should be laid from a number of packs at the same time. In the case of paving three packs should be mixed for single colours, five in the case of multi-coloured product. Ideally, product should also be mixed by being taken from vertical stacks rather than in layers of the same pack.

Any garden products supplied may incur joint widths of differing sizes depending on the pattern they are installed in. We recommend they are dry laid to check the product fits the required area before they are actually bedded. This is also important for circles, octagons and corner kits.

AFTERCARE

All pavements should be subjected to a regular maintenance regime. For more details on the appropriate course of action, please see the 'Essential Maintenance Guide' on brettpaving.co.uk.

Brett Landscaping 125/0115

More information on Brett as well as our products can be found at www.brettpaving.co.uk



Brett Landscaping
Sileby Road
Barrow upon Soar
Leicestershire LE12 8LX
Phone: 0845 60 80 577
Fax: 0845 60 80 575
www.brettpaving.co.uk